Pala, Karel; Podlezlová, Bohumila

# On semantic in Latin intransitive verbs

Sborník prací Filozofické fakulty brněnské univerzity. A, Řada jazykovědná. 1974-1975, vol. 23-24, iss. A22-23, pp. 199-210

Stable URL (handle): <u>https://hdl.handle.net/11222.digilib/100495</u> Access Date: 28. 11. 2024 Version: 20220831

Terms of use: Digital Library of the Faculty of Arts, Masaryk University provides access to digitized documents strictly for personal use, unless otherwise specified.

MUNI Masarykova univerzita Filozofická fakulta ARTS

Digital Library of the Faculty of Arts, Masaryk University digilib.phil.muni.cz

#### SBORNÍK PRACÍ FILOZOFICKÉ FAKULTY BRNĚNSKÉ UNIVERZITY STUDIA MINORA FACULTATIS PHILOSOPHICAE UNIVERSITATIS BRUNENSIS A 22/23, 1974/75

#### KAREL PALA – BOHUMILA PODLEZLOVÁ

# **ON SEMANTICS OF LATIN INTRANSITIVE VERBS**

# 1. Introduction

In our paper we make an attempt to describe the meanings of a group of Latin intransitive verbs by means of Fillmore's case theory (Fillmore 1968). We make use of a set of deep cases as they have originally been defined by Fillmore.

The case frames for the groups of the Latin intransitive verbs are suggested and linked up with their surface cases. Table 1 displays these relations and shows, at the same time, that we do not work with the deep and surface structures of sentence as it is usual in standard transformational grammar. Rather, on the base of Table 1 the simple context-free grammar has been written and then tested on the computer SAAB D 21. What we wanted to show was that semantically oriented contextfree rules we had suggested could give good results as well and that we did not need to bother about such complex structures as the deep and surface ones. The results we have obtained on the computer give evidence that our "simple" description was succesful — no meaningless Latin sentences have been generated by the computer. From this fact we conclude that a precise and explicit description of verbal meanings is a necessary prerequisite for any kind of formal description of a language — either generative or any other.

#### 2. Methodological Remarks

The recent developments in modern linguistics show clearly the shortcomings of Chomsky's Standard Theory (1965) — the most important of them lies in the fact that the issues of the semantic description have not been solved in a satisfactory way. The semantic component in the Standard Theory was defined as interpretive and that is why this way of treating semantics brings about a number of difficulties and does not make it possible to describe the semantics of language in a natural and simple way. Chomsky in his paper (Chomsky 1969) tries to find new arguments to support his standpoint — even if we decide to accept some of them, our most important doubts will not be dissipated.

On the contrary, the development of generative semantics with its orientation to formal logic and its attempts to formulate more precisely the notion of "semantic representation of sentence" seems to be more promissing and the approaches of the generative semantics should so far be regarded as more successful. Very convincing arguments have been given in this respect at the 1973 Cambridge Conference on formal semantics of natural languages (Cambridge 1973).

In the context of generative semantics we regard as the most interesting attempt

the description of some semantic properties of sentence made by Fillmore in his case theory (1968). Its stimulating feature lies in the way in which deep structures are treated — they are essentially oriented semantically and understood formally as logical predicates the arguments of which are already semantically oriented. This follows from the fact that each argument of a predicate represents one possible semantic type, i.e. it is one of the possible deep cases. It is not without interest that Fillmore considers his cases as having an ontological status: "The case notions comprise a set of universal presumably innate concepts which identify certain type of judgments human beings are capable of making about the events that are going on around them, judgments about such matters as who did it, who it happened to, what got changed." (p. 24.)

On the other hand, notice that Fillmore's suggestion is new in the field of transformational grammars but it is not, however, new in principle. The attempts to give semantic characteristics of the cases had been made earlier also by some Czechoslovak grammarians, though based on a different terminology (Trávníček 1951, Oravec 1966). It is even possible to say that the deep cases suggested by Fillmore match surprisingly well with the semantic classification of the cases offered by Trávníček (1951).

The shortcoming found in all these approaches, including Fillmore's is that the set of the deep cases or, in other words, the semantic classification of the cases comes out too rough. When we describe a larger number of verbs differing in their semantic types we are immediately in need of a more extensive and better differentiated inventory of the deep cases. This follows clearly from the attempts made by M. Kubišová (1974) and B. Podlezlová (1974) in their diploma theses concerning Czech transitive and intransitive verbs.

We regard it as an advantage of Fillmore's approach that he adopts the methods of symbolic logic and in such a way tries to work out a formalized description of the meanings of verbs, based on the predicate calculus of the first order. Of course, we do not want to state that the first order predicate calculus is sufficient enough for a description of the semantics of natural languages but, this sort of methodological orientation should be regarded as stimulating.

3. The Semantic Classification of the Latin Intransitive Verbs

The formal means of the description of simple sentences is the CASE FRAME consisting of a given predicate (i.e. verb) and its corresponding arguments (i.e. deep cases) which can accompany it.

For instance, the Latin verb misereor can have the following case frame (1): (1) [misereor + A + D]

(1a) Mater pulchra miseretur puerorum

In our paper we work with the six deep cases:

- (i) Agentive (A), the case of the typically animate perceived instigator of the action identified by the verb.
- (ii) Instrumental (I), the case of the inanimate force or object causally involved in the action or state identified by the verb.
- (iii) Dative (D), the case of the animate being affected by the state or action identified by the verb.
- (iv) Factitive (F), the case of the object or being resulting from the action or state identified by the verb, or understood as a part of the meaning of the verb.

(v) Locative (L), the case which identifies the location or spatial orientation of the state or action identified by the verb.

(vi) Objective (O), the semantically most neutral case, the case of anything repre-

sentable by a noun whose role in the action or state identified by the verb is identified by the semantic interpretation of the verb itself. (Fillmore 1968, 24-25).

# 3.1. The Relation between the Deep and Surface Cases

For the groups of the Latin intransitive verbs we work with it is necessary to set up the relationship between the deep cases described above and the surface cases as they are known from the traditional grammars of Latin (e.g. Novotný 1957).

The following are the surface cases we work with (they are denoted by figures):: (1) nominative

- (2) genitive
- (3) dative
- (4) accusative
- (6) ablative
- (p6) prepositional ablative

The next step then is to show the correspondence of the deep and surface cases. It is displayed in Table 1:

Deep case	Surface case		
AGENTIVE (A)	nominative (1) dative (3) accusative (4)		
OBJECTIVE (O) Construction of the	nominative (1) genitive (2) dative (3) accusative (4) ablative (6)		
DATIVE (D)	nominative (1) genitive (2) dative (3)		
LOCATIVE (L)	ablative (6)		
INSTRUMENTAL (I)	ablative (6)		
FACTITIVE (F)	genitive (2)		

Table 1

#### 3.2. The Groups of the Latin Verbs

The investigation takes into consideration only those Latin verbs that cannot occur with the surface accusative, i.e. the verbs occurring with the surface dative, genitive and ablative. Firstly, the investigated Latin verbs are divided into larger groups according to the surface case they can have and after that their semantic properties are taken into account. This second criterion gives the smaller groups within the larger ones.

Our material contains 120 Latin intransitive verbs excerpted from the Latin-Czech Dictionary (Pražák, Novotný, Sedláček, 1939), which includes approximately 18 000 entries — 1000 out of them are verbs. Neither do we describe the verbs that behave as intransitive but can frequently occur with the accusative and the derived verbs not differing in meaning from the respective basic verbs.

Now let us explain the notation we use. Symbol V together with two figures stways denotes a verb group and its surface case and its number respectively. Symbol V21 thus means a verb group with the surface genitive and that it is group number 1. Analogically, for instance, V32 denotes verb group number 2 having the surface dative. Symbols of NP type denote the deep cases and their respective surface realizations. For example, NP1A consists of the first part — NP1 expressing that it is a noun phrase realized on the surface as a nominative, and of the second part — A expressing that the semantic value of that noun phrase (NP1) is AGENTIVE. Similarly, symbol NP2D means that a surface genitive noun phrase is attached to the semantic value DATIVE, and symbol NP20 denotes a surface genitive noun phrase with the respective semantic value OBJECTIVE, etc.

A verb belonging to some of the possible groups can be associated with its CASE FRAME, e.g. a verb from group V31 can occur in the case frame: [NP1A... NP3D]. In this way it is possible to express the fact that verb group number 1 has AGENTIVE as its first argument superficially realized as the surface nominative (NP1A) and deep DATIVE as its second argument on the surface realized as the dative (NP3D).

Further, we bring here the verb groups and the verbs belonging to them together with their respective case frames. The meaning of each verb group is characterized by the heading in inverted commas "".

<b>V</b> 21	[NP1A VP21 NP2D], "remembering and forgetting" reminiscor, reminisci memini, -isse obliviscor, oblivisci
<b>V</b> 22	[NP1A VP22 NP2D], "to take mercy" misereor, -eri
<b>V</b> 23	[NP1A VP23 NP20], "to lack" egeo, -ere indigeo, -ere
V24	[NP4A VP24 NP2D], impersonal, "negative feelings" miseret paenitet piget pudet taedet
V25	[NP2A VP25 PRNN], impersonal, "to take interest in" interest

<b>VAK2</b> 1	[NP1A VPAK21 NP consistent group of v is the surface genitiv damno, -are arguo, -ere convinco, -ere arcesso, -ere accuso, -are iudico, -are	erbs with two ol	
V31	[NP1A VP31 NP3D] oboedio, -ire obtempero, -are obsequor, -sequi pareo, -ere servio, -ire	, "to obey, to be	subordinated"
<b>V</b> 32	[NP1A VP32 NP3D] its manifestation" blandior, -iri lenocinor, -ari palpor, -ari assentor, -ari assentior, -iri indulgeo, -ere concedo, -ere concodo, -ere concordo, -are	, "positive attitu	ide to an object and
V33		, "negative attit	ude to an object and
V34	[NP1A VP34 NP3D], "to trust and distrust" credo, -ere fido, -ere diffido, -ere		
<b>V35</b>	[NP1A VP35 NP30] consulo, -ere adsum, -esse adsideo, -ere prosum, prodesse obsecundo, -are suffragor, -ari	, "to benefit and	the opposite" prospicio, -ere opitulor, -ari absum, -esse medeor, -eri

1

	faveo, -ere patrocinor, -ari succurro, -ere
V36	[NP1A VP36 NP30], "to be anxious about somebody" timeo, -ere caveo, -ere metuo, -ere paleo, -ere
<b>V</b> 37	[NP1A VP37 NP3D], "to point at something" accedo, -ere accurro, -ere succedo, -ere
<b>V3</b> 8	[NP1A VP38 NP3D], "to show consent to an activity of an animal object" gratulor, -ari annuo, -ere ignosco, -ere
<b>V3</b> 9	[NP1A VP39 NP30), "to make use of an object" operor, -ari colludo, -ere illudo, -ere
<b>V</b> 310	[NP1A VP310 NP3D], "superior position of a subject with respect to an object" praesum, -esse moderor, -ari antecello, -ere
<b>V3</b> 11	[NP10 VP311 NP3D], "coherence, connection of a subject with an object" cohaereo, -ere subsum, -esse
<b>V3</b> 12	[NP10 VP312 NP3D], "a subject is subordinated to an object" obtingo, -ere desum, -esse succumbo, -ere
V313	[NP10 VP313 NP3A], "to like and to dislike" placeo, -ere displiceo, -ere
V314	[NP1A VP314 NP3D], "influencing an object by a subject" occurro, -ere persuadeo, -ere adsto, -are
V315	[NP1A VP315 NP30], "to spare something" parco, -ere

[NP1D VP61 NP60], "to have an abundance of something and the **V61** opposite" abundo, -are affluo, -ere emineo, -ere valeo, -ere exubero, -are belluor, -ari egeo, -ere indigeo, -ere careo, -ere vaco, -are [NP1D VP62 NP260], "to live on something" V62 vivo, -ere pascor, pasci [NP1A VP63 NP6L], "to go away from something" **V63** abscedo, -ere absisto, -ere absum, -esse emergo, -ere [NP1A VP64 NP60], "to have or obtain a thing or the opposite" **V64** potior, -iri utor, uti abstineo. -ere [NP1D VP65 NP60], "to show a negative attitude to something" V65 pallesco, -ere paveo, -ere disconvenio, -ire **V66** [NP10 VP66 NP6L], "particular connection of a subject with an object" haereo, -ere consto, -are [NP1A VP67 NP61], "to hold an office and the opposite" V67 fungor, -i defungor, -i V68 [NP1A VP68 NP6I], "to lean against something" nitor. niti [NP1A VP61 NPp6p0], "going away of a subject" Vp61 degenero, -are abhorreo, -ere dissentio, -ire dissideo, -ere discedo, -ere

(Group Vp61 includes the verbs occurring with the surface prepositional ablative and we put it here just as an example.)

### 4. The Context-free Grammar $G_L$

The semantic classification of the Latin intransitive verbs as presented above was built up into a formal model, i.e. in context-free grammar  $G_L$  which serves as a formal means for testing the elaborated semantic classification.

Then it is possible to test grammar  $G_L$  on a computer and require it to reach a certain degree of descriptive adequacy. If testing  $G_L$  on the computer gives good results in this respect, then it is possible to take for granted that the built-in semantic clasification of Latin verbs can also be considered reliable and successful. This holds good for any other kind of classification one would like to test depending on the purposes of the investigation.

To test a grammar, for example a grammar like  $G_L$ , means to test it for a degree of descriptive adequacy, i.e. the aim is to find out what sentences the grammar (e.g.  $G_L$ ) can generate and how close they are to the actual grammatical and meaningful sentences of the language — in our case Latin.

Grammar  $G_L$  is defined in the following way:

$$G_L = (V_T, V_N, R_L, S)$$

where  $V_T$  is interpreted as a finite set of Latin words, i.e. as a Latin terminal vocabulary. Thus set  $V_T$  contains the particular surface (inflected) forms of the Latin verbs in 3rd person, singular, pres. ind. act., of nouns, adjectives and pronouns in the respective surface cases.

 $V_N$  is interpreted here as a set of grammatical categories (metavariables) by means of which the description of the syntactic and semantic properties of the selected fragment of Latin is made (including, of course, the syntactic and semantic properties of the selected Latin intransitive verbs). We notice that the grammatical categories belonging to  $V_N$  partly correspond to the usual grammatical categories as they have been used in the traditional grammars and partly differ from them.

Set R is interpreted as a finite set of the context-free rules of the form  $A \to \omega$ ,  $A \in V_N$  and  $\omega$  is a non-empty string of symbols belonging to  $V_N \cup V_T$ .

Symbol  $S \in V_N$  is a designated initial symbol by which any derivation in  $G_L$  has to begin. The other details concerning both the formal properties of  $G_L$  type grammars and the computer implementation together with the conditions on computer testing can be found in our earlier paper (Pala 1968).

An abbreviated entry will be given as an example for the first rule and for some other rules as well. Their successive application leads to the deriving of the particular Latin sentence. It can easily be seen that the lines in the first rule correspond (except for minor notational differences) to the case frames introduced in the previous section together with the classification of the Latin verbs.

(1)

(2)

#### $VPG1 \rightarrow VG1$

Rule (2) expresses, to put it roughly, the fact that the verb phrases of a Latin sentence can be represented by a verb belonging to group VG1 (= V21), i.e. by a verb having the surface genitive and belonging to the group of verbs denoting "remembering and forgetting".

$$(31) NP1A \rightarrow N1AM A1M$$

Rule (31) can be interpreted as meaning that the subject of a Latin sentence can be represented by a noun phrase realized on the surface as a noun in the nominative expanded by an adjective and having the semantic value of the AGENTIVE.

 $(32) \qquad \qquad NP2D \rightarrow N2D$ 

Rule (32) says that the object of a Latin sentence can be expressed by a noun phrase realized superficially as the genitive and having the semantic value of the DATIVE.

(49) 
$$VG1 \rightarrow \{\text{reminiscitur, meminit, obliviscitur}\}$$


Rule (49) prescribes which specific verbs can be substituted for symbol VG1. obtained when rule (2) was applied.

(78) 
$$N1AM \rightarrow \{pater, frater, servus, miles\}$$

Rule (78) is similar to the previous one and shows which particular Latin nouns can be substituted for by symbol N1AM. Analogically, if we make use of rule (32) and get symbol N2D, we can expand it by rule (82).

(82)  $N2D \rightarrow \{\text{quaestoris, populi, fratrum}\}$ 


The way in which the rules mentioned above are successively applied can be displayed in the following tree graph:




The tree structure we have obtained in such a way represents a structural description of the generated Latin sentence. Our example is taken from a set of Latin sentences generated on the computer SAAB D 21 during the experimental testing.

#### 5. The Results

Grammar  $G_L$  and the semantic classification of the Latin intransitive verbs built in it was tested experimentally on the computer SAAB D 21 in April 1973 and 305 simple Latin sentences were generated. All the generated sentences can be regarded as well-formed both syntactically and semantically. This is a very good result which proves that the suggested description of Latin verbs meanings is to be considered successful. The following examples come from the set of the sentences generated on the computer. The column of the symbols on the left is a parenthesis-free representation of the phrase marker of the generated sentence. There is unique one-to-one relation between the parenthesis-free representation of the phrase marker and the corresponding tree graph, so that it is quite easy to obtain a graph-tree of the particular generated sentence.





# MERETRIX MAXIMA PARCIT VITAE

We can conclude by saying that the results obtained on the computer confirm the starting assumptions on which the mentioned semantic classification of the examined Latin intransitive verbs has been constructed. The formal apparatus we made use of is not complicated at all, nevertheless it gives much better results than a similar grammar not semantically oriented. Also with this kind of semantically oriented grammar we do not need to think of the use of the transformational rules and of quite a complex semantic component. Of course, on the other hand, we do not require such a grammar to be a full description of the language under investigation.

The described way of testing also makes it possible to reduce the arbitrary features of the description worked up intuitively to a reasonable degree and to compare the alternative descriptions in an objective way.

#### BIBLIOGRAPHY

- Fillmore, Ch. J., 1968. The Case for Case, in: Universals in Linguistic Theory, ed. by E. Bach and R. T. Harms, New York
- Fillmore, Ch. J., 1969. Types of Lexical Information, in: Studies in Syntax and Semantics, ed. by F. Kiefer, Dordrecht
- Fürst, K., 9132, Latinská mluvnice pro gamnasia a redlná gymnasia (A Latin Grammar for Secondary Schools), Praha
- Chomsky, N., 1965. Aspects of the Theory of Syntax, MIT Press
- Chomsky, N., 1969. Deep Structures, Surface Structures and Semantic Interpretation, mimeographed
- Kubišová, M., 1974 Popis sémantiky českých přechodných sloves (The Description of the Semantics of Czech Transitive verbs), Diploma thesis, FF UJEP, Brno
- Novotný, F., 1957. Základní latinská mluvnice (The Essentials of Latin Grammar), Praha
- Oravec, J., 1966. Väzba slovies v slovenčine (Verbal Constructions in Slovak), Bratislava
- Pala, K., 1968. Náhodné generování českých vět (Random Generation of Czech Sentences), Slovo a slovesnost 29, 45-56.
- Podlezlová, B., 1973. Sémanticky orientovaný generativní popis latinských sloves nepřechodných (Semantically Oriented Generative Description of the Latin Intransitive Verbs), Minor thesis, FF UJEP, Brno

Podlezlová, B., 1974. Sémanticky orientovaný generativní popis českých sloves nepřechodných (Semantically Oriented Generative Description of the Czech Intransitive Verbs), Diploma thesis, FF UJEP, Brno

Pražák, Novotný, Sedláček 1939. Latinsko-český slovník (A Latin-Czech Dictionary), Praha Stenius, E., 1973. Syntax of Symbolic Logic and Transformational Grammar, Synthese 26, 57-80.

Šáchová, Z., 1974. Sémantika českých sloves označujících psychické reakze (On the Semantics of Czech Verbs Denoting Some Emotional Reactions), Diploma thesis, FF UJEP, Brno

Trávníček, F., 1951. *Mluvnice spisovné češtiny II* (Skladba), (A Grammar of Standard Czech II (Syntax)), Praha

# POPIS SÉMANTIKY LATINSKÝCH NEPŘECHODNÝCH SLOVES

V článku se činí pokus popsat významy latinských nepřechodných sloves na základě Fillmorovy pádové teorie (Fillmore 1968) s využitím původního souboru hloubkových pádů.

Pro jednotlivé skupiny latinských nepřechodných sloves jsou v článku navrženy tzv. pádové rámce a jim přiřazeny odpovídající pády povrchové. Tyto vztahy jsou zachyceny v tabulce 1 (Table 1). Je patrné, že v této práci neužíváme hloubkových a povrchových struktur vět a transformací, jak je to obvyklé v běžných transformačních popisech jazyka. Tabulka 1 naopak posloužila jako východisko pro sestavení jednoduché nekontextové frázové gramatiky, která pak byla testována na samočinném počítači (SAAB D 21 v dubnu 1973). Snažíme se ukázat, že sémanticky orientovaná nekontextová pravidla implicitně obsahující sémantickou klasifikaci latinských nepřechodných sloves mohou dávat dobré výsledky — všechny jednoduché latinské věty generované na počítači (305 vět) byly sémanticky i syntakticky správné. Výsledky získané testováním ukazují, že není za každou cenu třeba pracovat se složitým komplexem transformačních pravidel a hloubkovými a povrchovými strukturami a že náš "jednoduchý" popis může být pokládán za úspěšný.

Jádrem článku je seznam sémantických skupin zkoumaných 120 latinských nepřechodných sloves s jejich pádovými rámci. Na základě pádových rámců a tabulky 1 byla sestavena nekontextová gramatika  $G_L$ , která pak byla testována na počítači.

Závěrem lze říci, že úspěšnost navrženého popisu fragmentu latiny je dána vypracováním formálního popisu příslušných slovesných významů. Je tedy jasné, že bez formálního popisu sémantiky sloves se neobejde žádný pokus o formální popis jazyka — ať generativní či kterýkoli jiný.