

Mateiciucová, Inna

List of tables [1-324]

In: Mateiciucová, Inna. *Talking stones : the chipped stone industry in lower Austria and Moravia and the beginnings of the Neolithic in Central Europe (LBK), 5700-4900 BC*. Měřínský, Zdeněk (editor); Klápště, Jan (editor). 1st ed. Brno: Masarykova univerzita, 2008, pp. 277-284

ISBN 9788021048041

Stable URL (handle): <https://hdl.handle.net/11222.digilib/127452>

Access Date: 22. 02. 2024

Version: 20220831

Terms of use: Digital Library of the Faculty of Arts, Masaryk University provides access to digitized documents strictly for personal use, unless otherwise specified.

LIST OF TABLES

Chapter 1.4. Sources analysed and used for comparison

Table 1. List of sites in Moravia and Lower Austria from which the chipped stone artefacts were studied.

Table 2. Assemblages of Mesolithic and Neolithic chipped stone artefacts used for comparison with the LBK assemblages from Moravia and Lower Austria.

Chapter 4.3. Relative chronology of the LBK in Moravia and Lower Austria (after R. Tichý) and a general overview of dating in neighbouring regions

Table 3. LBK periodisation in Bohemia, Moravia and Slovakia (after Čížmář 1998, Tab. 1).

Chapter 4.4. Absolute chronology of the LBK on the basis of C14 dating

Table 4. Absolute chronology of the LBK – duration and phases (after Lenneis & Stadler 1995, Tab. 5).

Chapter 6.1. Raw material

Table 5. Raw material provenance (in percent) during the LBK in selected regions of Moravia and Lower Austria.

Chapter 6.3.6.

Table 6. Occurrence of trapezes and trapezoidal shapes on selected Mesolithic and Early Neolithic sites.

Chapter 6.4. Artefacts with sickle gloss

Table 7. LBK in Moravia and Lower Austria. Proportion of artefacts with sickle gloss by raw material.

Chapter 6.5 The interpretation of the studied sites based on analyses of the chipped stone industry

Table 8 Early LBK. Main stages in the production of chipped stone artefacts made from particular types of raw material. Proportion of raw material type < 5% is marked by black. L – local raw material (< 30 km), R – regional raw material (30–80 km), I – imported raw material (> 80 km).

Table 9. Early LBK. Main stages in the production of chipped stone artefacts made from particular types of raw material. Proportion of raw material type < 5% is marked by black. L – local raw material (< 30 km), R – regional raw material (30–80 km), I – imported raw material (> 80 km).

Table 10. Phase I/II and middle phase of the LBK. Main stages in the production of chipped stone artefacts made from particular types of raw material. Proportion of raw material type < 5% is marked by black. L – local raw material (< 30 km), R – regional raw material (30–80 km), I – imported raw material (> 80 km).

Table 11. Middle and Late LBK. Main stages in the production of chipped stone artefacts made from particular types of raw material. Proportion of raw material type < 5% is marked by black. L – local raw material (< 30 km), R – regional raw material (30–80 km), I – imported raw material (> 80 km).

Chapter 11.2. Asparn an der Zaya – Schletz (Mistelbach district, Weinviertel, Lower Austria)

Table 12. Asparn-Schletz, the end of phase II and phase III of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 13. Asparn-Schletz, the end of phase II and phase III of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 14. Asparn-Schletz, the end of phase II and phase III of the LBK. Weight of chipped stone artefacts.

Table 15. Asparn-Schletz, the end of phase II and phase III of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 16. Asparn-Schletz, the end of phase II and phase III of the LBK. Proportion of raw materials in the basic morphological groups.

Table 17. Asparn-Schletz, the end of phase II and phase III of the LBK. Pre-cores and cores.

Table 18. Asparn-Schletz, the end of phase II and phase III of the LBK. Pre-cores.

Table 19. Asparn-Schletz, the end of phase II and phase III of the LBK. Cores.

Table 20. Asparn-Schletz, the end of phase II and phase III of the LBK. Flakes and waste.

Table 21. Asparn-Schletz, the end of phase II and phase III of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 22. Asparn-Schletz, the end of phase II and phase III of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 23. Asparn-Schletz, the end of phase II and phase III of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 24. Asparn-Schletz, the end of phase II and phase III of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 25. Asparn-Schletz, the end of phase II and phase III of the LBK. Blades and blade fragments.

Table 26. Asparn-Schletz, the end of phase II and phase III of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 27. Asparn-Schletz, the end of phase II and phase III of the LBK. Length of whole finished blades and blade tools.

Table 28. Asparn-Schletz, the end of phase II and phase III of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 29. Asparn-Schletz, the end of phase II and phase III of the LBK. Thickness of finished blades with preserved basal part.

Table 30. Asparn-Schletz, the end of phase II and phase III of the LBK. Platform remnants of blades and blade tools.

Table 31. Asparn-Schletz, the end of phase II and phase III of the LBK. Tool classification by blank types.

Table 32. Asparn-Schletz, the end of phase II and phase III of the LBK. Tool types and their raw materials.

Table 33. Asparn-Schletz, the end of phase II and phase III of the LBK. Proportion of artefacts with sickle gloss by raw material.

Table 34. Asparn-Schletz, the end of phase II and phase III of the LBK. Blanks and tools with sickle gloss by types.

Chapter 11.3. Brunn am Gebirge, position “Wolfholz” (Mödling district, Wienerwald, Lower Austria)

11.3.3.2.

Table 35. Brunn IIa, phase I of the LBK. Proportion of chipped stone industry by basic morphological groups.

Table 36. Brunn IIb, phase I of the LBK. Proportion of chipped stone industry by basic morphological groups.

Table 37. Brunn IV, phase I of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 38. Brunn IIa, Brunn IIb and Brunn IV, phase I of the LBK. Proportion of raw materials and distance to outcrops.

Table 39. Brunn IIa, Brunn IIb and Brunn IV, phase I of the LBK. Proportion of raw material, including varieties.

Table 40. Brunn IIa, phase I of the LBK. Proportion of raw materials in the basic morphological groups.

Table 41. Brunn IIb, phase I of the LBK. Proportion of raw materials in the basic morphological groups.

Table 42. Brunn IIa, phase I of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 43. Brunn IIb and Brunn IV, phase I of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 44. Brunn IIa, Brunn IIb and Brunn IV, phase I of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 45. Brunn IIa, Brunn IIb and Brunn IV, phase I of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 46. Brunn IIa, phase I of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 47. Brunn IIb, phase I of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 48. Brunn IV, phase I of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 49. Brunn IIa, Brunn IIb and Brunn IV, phase I of the LBK. Length of whole finished blades and blade tools.

Table 50. Brunn IIa and Brunn IIb, phase I of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 51. Brunn IV, phase I of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 52. Brunn IIa, Brunn IIb and Brunn IV, phase I of the LBK. Thickness of finished blades with preserved basal part.

Table 53. Brunn IIa, phase I of the LBK. Tool types and their raw materials (sample).

Table 54. Brunn IIb, phase I of the LBK. Tool types and their raw materials (sample).

Table 55. Brunn IIa, Brunn IIb, phase I of the LBK. Tool classification by blank types (sample).

11.3.3.3.

Table 56. Brunn I, phase I/II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 57. Brunn I, phase I/II of the LBK. Proportion of raw material and distance to outcrops.

Table 58. Brunn I, phase I/II of the LBK. Proportion of raw materials in the basic morphological groups

11.3.3.4.

Table 59. Brunn II – settlement burials, phase I of the LBK. Burial No. 2. Trapezes.

Chapter 11.4. Kleinhadersdorf, position “Marchleiten” (Mistelbach district, Weinviertel, Lower Austria)

Table 60. Kleinhadersdorf – cemetery, phase I/II and phase II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 61. Kleinhadersdorf – cemetery, phase I/II and phase II of the LBK. Proportion of raw material and distance to outcrops.

Table 62. Kleinhadersdorf – cemetery, phase I/II and phase II of the LBK. Flakes from graves.

Table 63. Kleinhadersdorf – cemetery, phase I/II and phase II of the LBK. Total number of chipped stone artefacts with trapezoidal shape.

Table 64. Kleinhadersdorf – cemetery, phase I/II and phase II of the LBK. Chipped stone artefacts in the individual graves.

Chapter 11.5. Mold I (Horn district, Waldviertel, Lower Austria)

Table 65. Mold, LBK phase I/II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 66. Mold, phase I/II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 67. Mold, phase I/II of the LBK. Weight of chipped stone artefacts.

Table 68. Mold, phase I/II of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 69. Mold, phase I/II of the LBK. Proportion of raw materials in the basic morphological groups.

Table 70. Mold, LBK phase I/II. Pre-cores and cores.

Table 71. Mold, phase I/II of the LBK. Pre-cores.

Table 72. Mold, phase I/II of the LBK. Cores.

Table 73. Mold, phase I/II of the LBK. Flakes and waste.

Table 74. Mold, phase I/II of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 75. Mold, phase I/II of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 76. Mold, phase I/II of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 77. Mold, phase I/II of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 78. Mold, phase I/II of the LBK. Blades and blade fragments.

Table 79. Mold, phase I/II of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 80. Mold, phase I/II of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 81. Mold, phase I/II of the LBK. Thickness of finished blades with preserved basal part.

Table 82. Mold, phase I/II of the LBK. Tool classification by blank types.

Table 83. Mold, phase I/II of the LBK. Tool types and their raw materials.

Chapter 11.6. Rosenberg I (Horn district, Waldviertel, Lower Austria)

Table 84. Rosenberg I, phase I of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 85. Rosenberg I, phase I of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 86. Rosenberg I, phase I of the LBK. Weight of chipped stone artefacts.

Table 87. Rosenberg I, phase I of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 88. Rosenberg I, phase I of the LBK. Proportion of raw materials in the basic morphological groups.

Table 89. Rosenberg I, phase I of the LBK. Pre-cores and cores.

Table 90. Rosenberg I, phase I of the LBK. Cores.

Table 91. Rosenberg I, phase I of the LBK. Flakes and waste.

Table 92. Rosenberg I, phase I of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 93. Rosenberg I, phase I of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 94. Rosenberg I, phase I of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 95. Rosenberg I, phase I of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 96. Rosenberg I, phase I of the LBK. Blades and blade fragments.

Table 97. Rosenberg I, phase I of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 98. Rosenberg I, phase I of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 99. Rosenberg I, phase I of the LBK. Length of whole finished blades and blade tools.

Table 100. Rosenberg I, phase I of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 101. Rosenberg I, phase I of the LBK. Thickness of finished blades with preserved basal part.

Table 102. Rosenberg I, phase I of the LBK. Tool classification by blank types. (+ 2 tools \leq 12 mm).

Table 103. Rosenberg I, phase I of the LBK. Tool types and their raw materials.

Chapter 11.7 Brno-Ivanovice, position "Globus" (district of Brno city, South Moravia, Czech Republic)

Table 104. Brno-Ivanovice, phase I of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 105. Brno-Ivanovice, phase I of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 106. Brno-Ivanovice, phase I of the LBK. Weight of chipped stone artefacts.

Table 107. Brno-Ivanovice, phase I of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 108. Brno-Ivanovice, phase I of the LBK. Proportion of raw materials in the basic morphological groups.

Table 109. Brno-Ivanovice, phase I of the LBK. Pre-cores and cores.

Table 110. Brno-Ivanovice, phase I of the LBK. Pre-cores.

Table 111. Brno-Ivanovice, phase I of the LBK. Cores.

Table 112. Brno-Ivanovice, phase I of the LBK. Flakes and waste.

Table 113. Brno-Ivanovice, phase I of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 114. Brno-Ivanovice, phase I of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 115. Brno-Ivanovice, phase I of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 116. Brno-Ivanovice, phase I of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 117. Brno-Ivanovice, phase I of the LBK. Blades and blade fragments.

Table 118. Brno-Ivanovice, phase I of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 119. Brno-Ivanovice, phase I of the LBK. Length of whole finished blades and blade tools.

Table 120. Brno-Ivanovice, phase I of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 121. Brno-Ivanovice, phase I of the LBK. Thickness of finished blades with preserved basal part.

Table 122. Brno-Ivanovice, phase I of the LBK. Tool classification by blank types.

Chapter 11.8. Brno-Nový Lískovec, position “Pod Kamenným vrchem” (Brno-city district, South Moravia, Czech Republic)

Table 123. Brno-Nový Lískovec, phase I/II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 124. Brno-Nový Lískovec, phase I/II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 125. Brno-Nový Lískovec, phase I/II of the LBK. Weight of chipped stone artefacts.

Table 126. Brno-Nový Lískovec, phase I/II of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 127. Brno-Nový Lískovec, phase I/II of the LBK. Proportion of raw materials in the basic morphological groups.

Table 128. Brno-Nový Lískovec, phase I/II of the LBK. Pre-cores and cores.

Table 129. Brno-Nový Lískovec, phase I/II of the LBK. Pre-cores.

Table 130. Brno-Nový Lískovec, phase I/II of the LBK. Flakes and waste.

Table 131. Brno-Nový Lískovec, phase I/II of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 132. Brno-Nový Lískovec, LBK phase I/II. Length of preparation and blade-like flakes (including flake tools).

Table 133. Brno-Nový Lískovec, phase I/II of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 134. Brno-Nový Lískovec, phase I/II of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 135. Brno-Nový Lískovec, phase I/II of the LBK. Blades and blade fragments.

Table 136. Brno-Nový Lískovec, phase I/II of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 137. Brno-Nový Lískovec, phase I/II of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 138. Brno-Nový Lískovec, phase I/II of the LBK. Length of whole finished blades and blade tools. Table 139. Brno-Nový Lískovec, phase I/II of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 140. Brno-Nový Lískovec, phase I/II of the LBK. Thickness of finished blades with preserved basal part.

Table 141. Brno-Nový Lískovec, phase I/II of the LBK. Tool classification by blank types.

Table 142. Brno-Nový Lískovec, phase I/II of the LBK. Blanks and tools with sickle gloss by types.

Chapter 11.9. Kladníky, position “Záhumenky” (Přerov district, North Moravia, Czech Republic)

Table 143. Kladníky, phase I of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 144. Kladníky, phase I of the LBK. Proportion of chipped stone artefacts (> 12 mm) by archaeological feature.

Table 145. Kladníky, phase I of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 146. Kladníky, phase I of the LBK. Weight of chipped stone artefacts.

Table 147. Kladníky, phase I of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 148. Kladníky, phase I of the LBK. Proportion of raw materials in the basic morphological groups.

Table 149. Kladníky, phase I of the LBK. Pre-cores and cores.

Table 150. Kladníky, phase I of the LBK. Cores.

Table 151. Kladníky, phase I of the LBK. Flakes and waste.

Table 152. Kladníky, phase I of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 153. Kladníky, phase I of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 154. Kladníky, phase I of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 155. Kladníky, phase I of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 156. Kladníky, phase I of the LBK. Blades and blade fragments.

Table 157. Kladníky, phase I of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 158. Kladníky, phase I of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 159. Kladníky, phase I of the LBK. Length of whole finished blades and blade tools.

Table 160. Kladníky, phase I of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 161. Kladníky, phase I of the LBK. Thickness of finished blades with preserved basal part.

Table 162. Kladníky, phase I of the LBK. Tool classification by blank types.

Table 163. Kladníky, phase I of the LBK. Tool types and their raw materials.

Chapter 11.10. Kuřim, position “Záhoří do klínů” and “U kopečku” (Brno-country district, South Moravia, Czech Republic)

Table 164. Kuřim, phase II and phase III of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 165. Kuřim, phase II and phase III of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 166. Kuřim, phase II and phase III of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 167. Kuřim, phase II and phase III of the LBK. Proportion of raw materials in the basic morphological groups.

Table 168. Kuřim, phase II and phase III of the LBK. Pre-cores and cores.

Table 169. Kuřim, phase II and phase III of the LBK. Flakes and waste.

Table 170. Kuřim, phase II and phase III of the LBK. Blades and blade fragments.

Table 171. Kuřim, phase II and phase III of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 172. Kuřim, phase II and phase III of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 173. Kuřim, phase II and phase III of the LBK. Length of whole finished blades and blade tools.

Table 174. Kuřim, phase II and phase III of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 175. Kuřim, phase II and phase III of the LBK. Tool classification by blank types.

Table 176. Kuřim, phase II and phase III of the LBK. Tool types and their raw materials.

Table 177. Kuřim, phase II and phase III of the LBK. Blanks and tools with sickle gloss by types.

Table 178. Kuřim, phase II and phase III of the LBK. Proportion of artefacts with sickle gloss by raw material.

Chapter 11.11. Nové Bránice, position “V končinách” (Brno-country district, South Moravia, Czech Republic)

Table 179. Nové Bránice “V končinách”, phase II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 180. Nové Bránice “V končinách”, phase II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 181. Nové Bránice “V končinách”, phase II of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 182. Nové Bránice “V končinách”, phase II of the LBK. Proportion of raw materials in the basic morphological groups.

Table 183. Nové Bránice “V končinách”, phase II of the LBK. Pre-cores and cores.

Table 184. Nové Bránice “V končinách”, phase II of the LBK. Pre-cores.

Table 185. Nové Bránice “V končinách”, phase II of the LBK. Cores.

Table 186. Nové Bránice “V končinách”, phase II of the LBK. Flakes and waste.

Table 187. Nové Bránice “V končinách”, phase II of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 188. Nové Bránice “V končinách”, phase II of the LBK. Blades and blade fragments.

Table 189. Nové Bránice “V končinách”, phase II of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 190. Nové Bránice “V končinách”, phase II of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 191. Nové Bránice “V končinách”, phase II of the LBK. Length of whole finished blades and blade tools.

Table 192. Nové Bránice “V končinách”, phase II of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 193. Nové Bránice “V končinách”, phase II of the LBK. Thickness of finished blades with preserved basal part.

Table 194. Nové Bránice “V končinách”, phase II of the LBK. Length and weight of whole blade negatives on the cores.

Table 195. Nové Bránice “V končinách”, phase II of the LBK. Tool classification by blank types.

Table 196. Nové Bránice “V končinách”, phase II of the LBK. Tool types and their raw materials.

Chapter 11.12. Přáslavice-Kocourovce, position “Na širokém” (Olomouc district, North Moravia, Czech Republic)

Table 197. Přáslavice-Kocourovce, phase II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 198. Přáslavice-Kocourovce, phase II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 199. Přáslavice-Kocourovce, phase II of the LBK. Weight of chipped stone artefacts.

Table 200. Přáslavice-Kocourovce, phase II of the LBK. Proportion of raw materials and distance to outcrops.

Table 201. Přáslavice-Kocourovce, phase II of the LBK. Proportion of raw materials in the basic morphological groups.

Table 202. Přáslavice-Kocourovce, phase II of the LBK. Pre-cores and cores.

Table 203. Přáslavice-Kocourovce, II. phase II of the LBK. Pre-cores.

Table 204. Přáslavice-Kocourovce, phase II of the LBK. Cores.

Table 205. Přáslavice-Kocourovce, phase II of the LBK. Flakes and waste.

Table 206. Přáslavice-Kocourovce, phase II of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 207. Přáslavice-Kocourovce, phase II of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 208. Přáslavice-Kocourovce, phase II of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 209. Přáslavice-Kocourovce, phase II of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 210. Přáslavice-Kocourovce, phase II of the LBK. Blades and blade fragments.

Table 211. Přáslavice-Kocourovce, phase II of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 212. Přáslavice-Kocourovce, phase II of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 213. Přáslavice-Kocourovce, phase II of the LBK. Length of whole finished blades and blade tools.

Table 214. Přáslavice-Kocourovce, phase II of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 215. Přáslavice-Kocourovce, phase II of the LBK. Thickness of finished blades with preserved basal part.

Table 216. Přáslavice-Kocourovce, phase II of the LBK. Tool classification by blank types.

Table 217. Přáslavice-Kocourovce, phase II of the LBK. Tool types and their raw materials.

Table 218. Přáslavice-Kocourovce, phase II of the LBK. Proportion of artefacts with sickle gloss by raw material.

Table 219. Přáslavice-Kocourovce, phase II of the LBK. Blanks and tools with sickle gloss by types.

Chapter 11.13. Těšetice-Kyjovice, position “Sutny” (Znojmo district, South Moravia, Czech Republic)

Table 220. Těšetice-Kyjovice, phase II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 221. Těšetice-Kyjovice, phase II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 222. Těšetice-Kyjovice, phase II of the LBK. Weight of chipped stone artefacts.

Table 223. Těšetice-Kyjovice, phase II of the LBK. Proportion of chipped stone artefacts (> 12 mm) by archaeological feature.

Table 224. Těšetice-Kyjovice, phase II of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 225. Těšetice-Kyjovice, phase II of the LBK. Proportion of raw materials in the basic morphological groups.

Table 226. Těšetice-Kyjovice, phase II of the LBK. Pre-cores and cores.

Table 227. Těšetice-Kyjovice, phase II of the LBK. Pre-cores.

Table 228. Těšetice-Kyjovice, phase II of the LBK. Cores.

Table 229. Těšetice-Kyjovice, phase II of the LBK. Flakes and waste.

Table 230. Těšetice-Kyjovice, phase II of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 231. Těšetice-Kyjovice, phase II of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 232. Těšetice-Kyjovice, phase II of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 233. Těšetice-Kyjovice, phase II of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 234. Těšetice-Kyjovice, phase II of the LBK. Blades and blade fragments.

Table 235. Těšetice-Kyjovice, phase II of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 236. Těšetice-Kyjovice, phase II of the LBK. Platform remnants of blades and blade tools.

Table 237. Těšetice-Kyjovice, phase II of the LBK. Length of whole finished blades and blade tools.

Table 238. Těšetice-Kyjovice, phase II of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 239. Těšetice-Kyjovice, phase II of the LBK. Thickness of finished blades with preserved basal part.

Table 240. Těšetice-Kyjovice, phase II of the LBK. Tool classification by blank types.

Table 241. Těšetice-Kyjovice, phase II of the LBK. Tool types and their raw materials.

Chapter 11.14. Vedrovice, positions “Za dvorem” and “Široká u lesa” (Znojmo district, South Moravia, Czech Republic)

11.14.3.2.

Table 242. Vedrovice “Za dvorem”, phase I of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 243. Vedrovice “Za dvorem”, phase I of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 244. Vedrovice “Za dvorem”, phase I of the LBK. Proportion of chipped stone artefacts (> 12 mm) by archaeological feature.

Table 245. Vedrovice “Za dvorem”, phase I of the LBK. Weight of chipped stone artefacts.

Table 246. Vedrovice “Za dvorem”, phase I of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 247. Vedrovice “Za dvorem”, phase I of the LBK. Proportion of raw materials in the basic morphological groups.

Table 248. Vedrovice “Za dvorem”, phase I of the LBK. Pre-cores and cores.

Table 249. Vedrovice “Za dvorem”, phase I of the LBK. Pre-cores.

Table 250. Vedrovice “Za dvorem”, phase I of the LBK. Cores.

Table 251. Vedrovice “Za dvorem”, phase I of the LBK. Flakes and waste.

Table 252. Vedrovice “Za dvorem”, phase I of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 253. Vedrovice “Za dvorem”, phase I of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 254. Vedrovice “Za dvorem”, phase I of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 255. Vedrovice “Za dvorem”, phase I of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 256. Vedrovice “Za dvorem”, phase I of the LBK. Blades and blade fragments.

Table 257. Vedrovice “Za dvorem”, phase I of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 258. Vedrovice “Za dvorem”, phase I of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 259. Vedrovice “Za dvorem”, phase I of the LBK. Length of whole finished blades and blade tools.

Table 260. Vedrovice “Za dvorem”, phase I of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 261. Vedrovice “Za dvorem”, phase I of the LBK. Thickness of finished blades with preserved basal part.

Table 262. Vedrovice “Za dvorem”, phase I of the LBK. Tool classification by blank types.

Table 263. Vedrovice “Za dvorem”, phase I of the LBK. Tool types and their raw materials.

11.14.3.3.

Table 264. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 265. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 266. Vedrovice “Široká u lesa”, phase I/II and phase II of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 267. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Proportion of raw materials in the basic morphological groups.

Table 268. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Pre-cores and cores.

Table 269. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Proportion of raw materials among pre-cores and cores.

Table 270. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Flakes and waste.

Table 271. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 272. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Blades and blade fragments.

Table 273. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Degree of preservation of natural surface on blades and blade tools.

Table 274. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Platform remnants of blades and blade tools.

Table 275. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Tool classification by blank types.

Table 276. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Tool types and their raw materials.

Table 277. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Flakes and flake tools with sickle gloss by types.

Table 278. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Blades and blade tools with sickle gloss by types.

Table 279. Vedrovice “Široká u lesa” – settlement, phase I/II and phase II of the LBK. Blade tools with sickle gloss by types.

11.14.3.4.

Table 280. Vedrovice “Široká u lesa” – cemetery, phase I/II and phase II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 281. Vedrovice “Široká u lesa” – cemetery, phase I/II and phase II of the LBK. Chipped stone artefacts excluded from further study.

Table 282. Vedrovice “Široká u lesa” – cemetery, phase I/II and phase II of the LBK. Proportion of raw materials, including varieties and distance to outcrops.

Table 283. Vedrovice “Široká u lesa” – cemetery, phase I/II and phase II of the LBK. Artefacts from individual graves.

Table 284. Vedrovice “Široká u lesa” – cemetery, phase I/II and phase II of the LBK. Total number of trapezes and artefacts with trapezoidal shape.

Chapter 11.15. Žopy, position “Cihelna” (Kroměříž district, south Moravia, Czech Republic)

11.15.3.2.

Table 285. Žopy I, phase I of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 286. Žopy I, phase I of the LBK. Proportion of chipped stone artefacts (> 12 mm) by archaeological feature.

Table 287. Žopy I, phase I of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 288. Žopy I, phase I of the LBK. Weight of chipped stone artefacts.

Table 289. Žopy I, phase I of the LBK. Proportion of raw material, including varieties and distance to outcrops.

Table 290. Žopy I, phase I of the LBK. Proportion of raw materials in the basic morphological groups.

Table 291. Žopy I, phase I of the LBK. Pre-cores and cores.

Table 292. Žopy I, phase I of the LBK. Cores.

Table 293. Žopy I, phase I of the LBK. Flakes and waste.

Table 294. Žopy I, phase I of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 295. Žopy I, phase I of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 296. Žopy I, phase I of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 297. Žopy I, phase I of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 298. Žopy I, phase I of the LBK. Blades and blade fragments.

Table 299. Žopy I, phase I of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 300. Žopy I, phase I of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 301. Žopy I, phase I of the LBK. Thickness of finished blades with preserved basal part.

Table 302. Žopy I, phase I of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 303. Žopy I, phase I of the LBK. Tool classification by blank types.

Table 304. Žopy I, phase I of the LBK. Tool types and their raw materials.

11.15.3.3.

Table 305. Žopy II, phase II of the LBK. Chipped stone artefacts divided into basic blank groups.

Table 306. Žopy II, phase II of the LBK. Proportion of chipped stone artefacts by basic morphological groups.

Table 307. Žopy II, phase II of the LBK. Weight of chipped stone artefacts.

Table 308. Žopy II, phase II of the LBK. Proportion of raw materials in the basic morphological groups and distance to outcrops.

Table 309. Žopy II, phase II of the LBK. Pre-cores and cores.

Table 310. Žopy II, phase II of the LBK. Cores.

Table 311. Žopy II, phase II of the LBK. Flakes and waste.

Table 312. Žopy II, phase II of the LBK. Degree of preservation of natural surface on flakes, including retouched tools.

Table 313. Žopy II, phase II of the LBK. Length of preparation and blade-like flakes (including flake tools).

Table 314. Žopy II, phase II of the LBK. Width of preparation and blade-like flakes (including flake tools).

Table 315. Žopy II, phase II of the LBK. Thickness of preparation and blade-like flakes (including flake tools).

Table 316. Žopy II, phase II of the LBK. Blades and blade fragments.

Table 317. Žopy II, phase II of the LBK. Degree of preservation of natural surface on blades, including retouched tools.

Table 318. Žopy II, phase II of the LBK. Length of whole finished blades and blade tools.

Table 319. Žopy II, phase II of the LBK. Width of whole finished blades, blades with broken off terminal part, basal part, terminal and basal parts.

Table 320. Žopy II, phase II of the LBK. Thickness of finished blades with preserved basal part.

Table 321. Žopy II, phase II of the LBK. Platform remnants and dorsal reduction of blades and blade tools.

Table 322. Žopy II, phase II of the LBK. Tool classification by blank types.

Supplement

Table 323. List of sites shown on maps 5–9 and 14–67 (see DVD). Periodisation of the LBK culture after R. Tichý (1962) and of the Stroke-Ornamented Ware culture after M. Zápotocká (1998).

Table 324. List of sites shown on maps 10–13 (see DVD). Periodisation of the LBK culture after R. Tichý (1962).